
GLW
CRIMPING TECHNOLOGY

ACCESSORIES

MADE IN GERMANY



glw.de

DEAR CUSTOMERS,



With this brochure, we would like to give you a comprehensive overview of our range of accessories for professional cable processing. It shows the variety and quality of our products, which support the safe, efficient, and reliable handling of electrical connections.

Our accessory range has been designed to perfectly complement our products and to offer users well-thought-out solutions for a wide variety of applications in practice. Precise development work, high quality standards, and close communication with you – our customers – form the basis for our products.

Since 1986, your requirements and wishes have been at the center of everything we do. Our products are made in Germany and stand for quality, durability and reliable performance in everyday use.

Especially in a time when efficiency, flexibility and reliability are becoming increasingly important, we offer accessory solutions that optimally support the demands of modern electrical engineering. They make workflows easier, ensure safe connections and contribute to high process reliability.

We invite you to get to know our accessory range and see for yourself the quality and practical suitability of our products. Our team is always happy to answer your questions and to work with you to find the right solutions for your applications.

We thank you for your trust and look forward to continuing to be a reliable partner by your side in the future.

Best regards from Kisslegg,
The Management and the entire GLW Team

Florian Geier – Leonie Schelling – Felix Weiland



As a medium-sized family business, we at GLW attach great importance to independence. In order to be able to guarantee independence and planning security in the long term, particular attention is paid to vertical integration, organic growth and the expansion of expertise. We are deeply connected to the region and recognise our social responsibility.



CONTENT

04 – 05
LC 160
LC 160 SL

06 – 07
CS 60
CS 100

08 – 09
EC 65
PC 65

10 – 11
MC 25
MC 40-1

12
DC 125

LC 160

Cutting Machine 0.08– 16 mm²

013885



If you want to optimize your production in the long term and gain more flexibility in cable processing, then the LC 160 is the ideal choice. This high-performance model significantly expands the range of applications and enables the machining of flexible and rigid conductors up to 16 mm² in cross-section as well as heat shrink tubing – a level of performance that is unparalleled in this class of equipment.

Accessoires LC 160 / LC 160 SL

007208 /007209 /007210



Cable guides

The cable guides for the LC 160 ensure safe and organized cable routing. They protect cables from damage and help keep the installation on the machine neat. Thanks to their sturdy design, they provide long-lasting and reliable use in everyday work..

ø 1: 007208; ø 4: 007209; ø 6: 007210

015295



Kit for thin wires

Small in diameter, big on precision, this kit lets you reliably work with thin wires ranging from 0.3 to 1 mm. Perfect for jobs that require a delicate touch – precise, safe, and tailored to the tiniest cross-sections.

006789



Drive/Measuring Roller Sensitive

Gentle on the material. Precise in the result. The PU-coated drive roller reliably protects sensitive cable insulation and hoses from pressure marks and damage. For optimal performance, we recommend using 4 rollers.

006790



Drive/Measuring Roller Rough

Maximum hardness. For maximum demands. The steel drive roller of the LC 160 is the ideal choice for processing wires with particularly tough insulation. Robust and durable – perfect for demanding tasks where stability matters.

011415



Carbide Cutting blade

Harder. More durable. The hard metal cutting blade for the LC 160 tube cutter impresses with its particularly high material hardness and a significantly longer service life. The wider, blunter edge is especially suitable for solid wires and steel wires up to 0.3 mm in diameter.

010276



Cutting blade for very thick wire insulation

Specifically shaped. Easily handled. This cutting blade was specially developed for working with wires that have particularly thick insulation. The unique blade geometry ensures that even bulky wires can be cut effortlessly and cleanly.

LC 160 SL

Tube Cutting Machine up to Ø 10 mm


013888



The LC 160 SL has been specially developed for the precise and gentle cutting of pneumatic, medical and many other tube types to length. Thanks to its special cutting technology with only one blade and precise guidance, the device ensures exact 90-degree cuts of the highest quality – without deformation.

Accessoires LC 160 / LC 160 SL

013119



Ejection aid

The LC 160 ejection aid is simply clamped under the cutting machine and sets it at a defined tilt angle. This ensures that the cut material is reliably ejected from the machine after the cutting process – reducing manual handling and making the process run more smoothly.

s. u.



Tube guides

Guided. Fixed. Perfectly cut. The tube guides for the LC 160 SL ensure precise positioning of the tube, guaranteeing a clean, even cut. Available in diameters of 1, 2, 3, 4, 6, 8.5 and 10 mm.

Ø 1 mm:	007301
Ø 2 mm:	007302
Ø 3 mm:	007313
Ø 4 mm:	007314
Ø 6 mm:	007316
Ø 8.5 mm:	007318
Ø 10 mm:	014160

007263



Cutting blade with a straight edge

Straight cut. Clean finish. The cutting blade with a straight edge is the perfect addition to the LC 160 SL tube cutter. It creates clean, flat cut surfaces, ensuring precise and professional-looking tube ends. It's mainly used for larger tubes from Ø 9 mm. Thanks to the larger cutting area, thicker tubes won't get stuck on the blade when cutting. Plus, it's the ideal choice when you need an especially straight and smooth cut.

CS 60


Wire Stripper 0.08 – 6 mm²

006161

The CS 60 is the ideal entry-level solution for the professional stripping of wires in control cabinet construction, mechanical engineering, building services and cable assembly. Thanks to its intuitive operation, fast cycle times and automatic adjustment of the clamping force, it is ideal for smaller series and flexible applications.



Accessoires CS 60 / CS 100



Round blade - the specialised solution for special wires

The round blades for the CS 60 and CS 100 are used where the standard blade reaches its limits. Specifically tailored to each wire, they ensure a clean and precise stripping result – even with demanding wires and tough insulation materials. The optimal tool for every application.

ø mm	for cross section mm²	Art. No..
0.60	0.25	014581
0.80	0.50	014583
1.00	0.75	014584
1.20	1.00	014587
1.40	1.50	014588
1.60	1.50	014589
1.80	2.50	014590

ø mm	for cross section mm²	Art. No..
2.40	4.00	014591
2.80	6.00	014592
3.00	6.00	014593
3.80	10.00	014594
4.20	10.00	014595
4.40	10.00	014596

006906



Flat blade for ribbon cables

Flat. Precise. Perfectly stripped. The parallel stripping blade for the CS 100 was specially designed for processing flat ribbon cables and is also suitable for the CS 60. It allows clean and precise stripping of flat ribbon cables up to 7.6 mm wide – reliable and processsafe.

CS 100

Wire Stripper 0.08 – 10 mm²

012505

Are you looking for a powerful, efficient and versatile solution for stripping wires? The CS 100 is the ideal professional variant for medium to large series, but can also be used flexibly for smaller jobs. Thanks to its well-thought-out device design, ergonomic display and state-of-the-art technology, it enables precise, fast and comfortable work – both standing and sitting.



Accessoires CS60 / CS 100

007857



Cable gripping jaws sensitive

Specially profiled. Especially gentle. The finer profiling reliably protects pressure-sensitive conductor insulation from damage thanks to its special design. For applications where the integrity of the insulation is the highest priority.

007631



Cable gripping jaws soft

Gentle hold. Careful handling. The soft clamping jaw with its rounded teeth was specially designed for pressure-sensitive cables. It secures the cable safely and reliably – without damaging the delicate insulation. Please note: The rounded teeth reduce the clamping force, which can be limiting, especially with larger cross-sections. The ideal choice for fine and pressure-sensitive cables.

007677



Cable gripping jaws diamond

Diamond-hard grip. For any insulation. The diamond coated clamping jaw provides extremely high grip and reliably handles both pressure-sensitive and particularly tough insulations. Maximum holding power meets gentle processing – for a perfect stripping result even under the most demanding conditions.

008206



Cable gripping jaws rough

Deeply grooved surface. Secure grip on hard insulation. With its deeply grooved gripping surface, the rough clamping jaw is specifically designed for conductors with hard insulation. It ensures a firm, non-slip grip—even where other gripping jaws reach their limits.

EC 65

Electric Crimper

006185



The EC 65 is the ideal solution for flexible crimping of terminals without relying on a compressed air supply. With a pressing force of 10 kN, it offers a powerful alternative to pneumatic crimping devices and enables versatile processing of a wide variety of terminals. Thanks to its compact design, low weight and integrated carrying handle, the EC 65 can also be used on the move – ideal for workshops, control cabinet construction, cable assembly and industrial applications.

Accessoires EC 65 / PC 65

013120



Ergonomic stand

See better. Work easier. Protect your back. The ergonomically designed stand for the EC 65 / PC 65 puts the machine in the perfect working position. This makes the crimping area easy to see, inserting the crimp terminal and wire noticeably easier – and all day long it's back-friendly and comfortable.

013118/013117



Storage tray for terminals

Everything within reach. Right at the crimping area. The storage tray, specially designed for the ergonomic stand, keeps crimp terminals right under the crimping area – for a quick and smooth workflow. No more annoying reaching, and the process becomes noticeably easier and faster. The tray is available with either one or two compartments – for flexible and clear organization of the contacts.

1-piece tray 013118

2-piece tray 013117

Special dies and special locators can be made individually after a feasibility test.

PC 65

Pneumatic Crimper


008588

The PC 65 is the ideal solution for powerful and efficient crimping of a wide variety of terminals. With a pressing force of up to 15 kN, it reliably processes both small and larger terminals, thus offering an extended range of applications compared to the EC 65. Thanks to the optimized compressed air control, the device is particularly energy-efficient and is perfect for industrial use.



Accessoires EC 65 / PC 65

015064



Universal-Locator


One locator. Countless terminals. The universal locator for the EC 65 / PC 65 is flexible enough to be used with various types of terminals and can be quickly and easily adjusted to the specific terminal. It positions the contact precisely in the crimp area – making it simple and safe to insert the wire afterward. For an efficient, error-free crimping process.

MC 25

Stripping and Crimping Machine


006208

The MC 25 is the perfect solution for fast and precise processing of ferrules on reels. This electric stripping and crimping tool combines two essential operations in a single process – saving time and money for maximum productivity. Thanks to our high-quality ferrules and the precise adjustment of the machine to them, we guarantee an exceptionally high quality of workmanship and reliability. In addition, the combination of MC 25 and our ferrules is UL certified, which is particularly important for export-oriented companies.



Accessoires MC 25

s. b.



Adjustable stripping blade

Precisely set. Perfectly stripped. The adjustable stripping blades for the MC 25 can be exactly matched to the respective wire – for a clean and reliable stripping result. Even with wires that are difficult to handle, they ensure flawless processing without damaging the conductor.

0.25-0,34 mm²	005097
0.5 mm²	005092
0.75 mm²	005093
1.0 mm²	005094
1.5 mm²	005095
2.5 mm²	005096

005127



Expansion kit for 0.25 and 0.34 mm²

Smallest cross-sections, processed reliably. The extension kit expands the range of the MC 25 to include the fine cross-sections of 0.25 and 0.34 mm². This way, even the thinnest wires can be stripped and crimped precisely and safely – maximum flexibility for demanding applications.

016027



B-coil holder

More runtime, less setup time – the new B-coil holder. With the new B-coil holder, you can work with coils in higher quantities, significantly increasing your machine's runtime. The result: fewer setups, reduced downtime, and more productivity per shift. Especially economical: the B-coil holder can also be used with existing models – a simple way to make your production more efficient without replacing machines.

MC 40-1

Stripping and Crimping Machine

006218

The MC 40-1 is the ultimate solution for the professional processing of ferrules with plastic collars. Thanks to its electro-pneumatic drive technology , it enables stripping and crimping in a single operation – with an incredible cycle time of only 0.8 seconds. This makes it the fastest machine in its class in the world and ensures maximum productivity gains.



Accessoires MC 40-1

015203



Lamella die

With the new lamella die, you can achieve precise, square crimps, comparable to the quality of high-end hand tools.

The die handles ferrules from 0.25 to 2.5 mm². This eliminates the need to switch dies, which is usually required with previous square crimping solutions.

008141



Diamond-coated cable holding pliers

Firm grip. Secure hold. Precise workmanship. The diamond-coated cable clamp for the MC 40-1 reliably holds the cable in place during work. Thanks to the high-quality diamond coating, it offers a significantly improved grip – ideal for wires with hard insulation.

s. b.




Locator for GB wire end sleeves

The right attachment for every type of conductor. The special inserts for GB ferrules expand the MC 40-1 to handle conductors with thicker insulation. With the right locators, they can be processed precisely and efficiently by machine, without having to rely on manual alternatives.

0.5 GB	006828
0.75 GB	006723
1.0 GB	006724
1.5 GB*	006725
2.5 GB*	006726

004168



Mini intro funnel

Accurately inserted. Easy to handle. The guide funnel for the front panel of the MC 40-1 allows for precise insertion of thin cables with cross-sections of 0.25 and 0.34 mm². It guides the cable accurately into the machine and noticeably makes processing these fine conductors easier – for a fast and secure workflow.

*Additional accessories needed. We are happy to advise you on this.

DC 125

Wiring Duct Cutter

006176

Maximum efficiency, precise cuts and a clean working environment – the DC 125 wiring duct cutter is the ideal solution for mechanical and plant engineering as well as building services. Designed for professional users, this cutter enables fast and precise machining of wiring ducts – without chips or deformations.



Accessoires DC 125

014762



45 degree stop

With our new accessories for the wiring duct cutter DC 125, you can easily cut 45° angles on a miter.

007709



Scale 2000 mm

The 2-meter scale is the perfect accessory for the DC 125 wiring duct cutter. It lets you precisely cut long wiring ducts without having to do mental math. Mistakes are reliably avoided – saving material and time.